







Span

INDEX

VOLUME 4 NUMBERS 1-4 1961

13 FEB 1963

Digitized by the Internet Archive
in 2025

https://archive.org/details/span-1958_1961_4_index

Span

VOLUME 4 : NUMBERS 1-4

AUTHOR INDEX

Allan, P. . . . 32
Armstrong, D.G. . . . 104
Cathie, L.S. . . . 188
Collier, R.J. . . . 141
Cooper, M.McG. . . . 12
Darling, F. Fraser . . . 100
Das, G.M. . . . 137
Dominy, J.N. . . . 55
Edwards, Joseph . . . 71
Fecher, P.V. . . . 119
Filmer, J.F. . . . 112
Fryer, J.D. . . . 82
Galloway, I.A. . . . 108
Gibb, J.A.C. . . . 55
Glover, P.M. . . . 137
Gorbitz, A. . . . 125
Greene, H. . . . 151
Grist, D.H. . . . 27
Guichard, K.M. . . . 120
Hancock, E.G. . . . 133
Harrington, J.B. . . . 30
Head, F.B. . . . 117
Herford, G.V.B. . . . 40
Holmes, G.D. . . . 180
Hunt, J.L. . . . 76
Hunt, K.E. . . . 79
Jacks, G.V. . . . 148
Kimmel, D.C. . . . 43
King, P. . . . 84
Langfield, E.C.B. . . . 67
Lee, K.E. . . . 62
Mas, J.M. . . . 169
McMeekan, C.P. . . . 15
Moir, J.D. . . . 67
Mukherjee, T.D. . . . 137
Ordish, G. . . . 36
Peters, B.G. . . . 59
Pirie, N.W. . . . 21
Prowse, G.A. . . . 18
Robertson, V.C. . . . 159
Sen, B.R. . . . 4
Stamp, L.Dudley . . . 8
Sutcliffe, R.C. . . . 172
Uvarov, Sir Boris . . . 154
van Tiel, N.J . . . 90
van Veen, A.G. . . . 24
Verhoeven, B. . . . 162
Waddy, B.B. . . . 129
Wain, R.L. . . . 177
Wehrmann, J. . . . 184
Whyte, R.O. . . . 24
Worden, A.N. . . . 52

SUBJECT INDEX

A

Acaricides, field use, 96 BR
Acetic acid, fed to goat, butter percentage, 107
Acheta domesticus, 156
Aedes aegypti, 91, 92
Aerial photography, marsh development, 47 BR
soil surveying and mapping, 151, 153
Aerial spraying. *See* Spraying
Afforestation, semi-arid areas, rise of insect pests, 156
Africa, fisheries development, 6
poverty of soil of central plateau, 100, 102
Agene, mammalian susceptibility to, 54
Agricultural education, F.A.O. extension services for farmers, 43
needs of workers in under-developed countries, 17
training nematologists, 59
tropical agriculture courses, 127
Agricultural experimentation for land-use recommendations, 153
Agricultural policy, national, 45 BR
United Kingdom wartime, 134
Agricultural research stations, Taita, 62, 63 (fig.)
Turrialba institute, 125 (fig.)
Agricultural statistics, sampling methods for use in tropics, 79, 80
Agriculture, history of British 133
Latin American countries, 95 BR
modernisation of, 45 BR
Agrobacterium tumefaciens, 191 BR
Aircraft, Snow S 2A, 85 (fig.)
Albizzia, shade tree for tea, 140 (figs)
Alder, nitrogen-fixing species, 186
Aldrin, combine-drilling with fertilizer, 77, 78
component in seed dressings, 76, 78
economics of use against rice pests, 37
non-systemic property, reason for, 179
requirement for crop protection, India, 38
toxicity to leather jacket, 78
to wireworm, 77, 78
Algae, plankton species, 20
Alkali soils, distribution, 163
flooded by seawater and leached, 165 (fig.)
reclamation of non-saline, 164 (fig.)
Alluvium, man-made, of 'sailaba' basins, 160
Amino-triazole, grass control in forest by, 183
woody species controlled by, 181
Ammonium chloride, tonnage used on rice, Japan, 28
Ammonium nitrate for rice, 28
Ammonium sulphamate, stem-base application to woody species, 183
Ammonium sulphate, nitrogen equivalent of white clover in sward, 12
Animal diseases, 98 BR
Diseases of Animals (Waste Foods) Order, 110
Animal husbandry, 98 BR
feeding methods mechanised, 55, 57 (fig.)
primitive in Africa, 17 (fig.)
Animal lick, magnesium oxide, 118
Anopheles gambiae, 92
Anseranas semipalmata, 68
Anti-foaming agents in bloat control, 119
Aphids, crop losses from, India, 39
Apis adansoni, 49 BR
Apis mellifera, 49 BR
Arable land, change in acreage, U.K., 134, 135 (fig.)
Army worm, 157 (fig.)
cereal crop losses from, India, 39
pasture invasion by moth, Kenya, 155
Aroclor, in dieldrin formulation, 92, 93
Artemisia sp., 155
Artificial insemination, livestock improvement by, 71
Arum dioscoridis, 123 (fig.)
Astex, liquid dieldrin formulation, 76
Auger for soil permeability test, 158 (fig.)
Australia, crop yields and fertiliser use, 33, 34
Aviation, agricultural, conference report, 98 BR
organisation of industry, 84, 85

B

Bacteria, plant pathogens, 191 BR
Bacteriological techniques, 191 BR
Baits, insecticides replacing Paris geen, 78
Banana, plastic film wrap for, 142
spraying against leaf spot, Venezuela, 38(fig.)
Barley, F.A.O. project for Near East, 30
gypsum response on alkali soil, 165 (fig.)
yield increase per unit of fertiliser, 32
Beans, chocolate spot, 177, 178 (fig.)
storage loss from insects, Congo, 42

Beef production, A.I. in breeding for, 74
Beekeeping in the tropics, 49 BR
predators of honey bee, 49 BR
Beet sugar subsidy, U.K., 134
Benzene hexachloride in seed dressings, 76, 78
Big head carp, pond culture, 20
Bile duct of sheep, invaded by *Pythomyces chartarum*, 115 (fig.)
Bilharziasis. *See* Schistosomiasis.
Biological control, coconut moth, Fiji, 37
Biston suppressaria, 139
Black cotton soils, 150
Black earths, agricultural potentialities, 150
Black pod of cacao, 127
Bloat in dairy cattle, control, 119
Bollworm, cotton losses from, India, 39
Bolti, artificial cropping of, 19
Book reviews
Agricultural aviation conference report, 98
Animal husbandry heresies, by Fraser, 98
Bacterial plant pathogens, by Stapp, 191
Beekeeping in the tropics, by Smith, 49
Better grassland sward, by Voisin, 97
Biology of weeds, by Harper, 146
Conservation of grass and forage crops, by Watson and Nash, 145
Crop production and environment (rev.ed.), by Whyte, 48
Economy of Latin America, by Benham and Holley, 95
Farm animals in health and disease (2nd ed.), by Woolridge, 98
Food, land and manpower in Western Europe, by Lamartine Yates, 45
Geomorphology, by Sparks, 46
Grass crop (rev. ed.) by Davies, 145
Living earth, by Farb, 47
Modern insecticides and world food production, by Gunther and Jeppson, 96
Our developing world, by Stamp, 95
Pineapple, by Collins, 97
Plant geography, Introduction to, by Polunin, 45
Reproduction in domestic animals, ed. by Cole and Cupps 48
Salt marshes and salt deserts of the world, by Chapman, 46
Soil under shifting cultivation, by Nye and Greenland, 144
Weeds and aliens, by Sir Edward Salisbury, 191
Boron toxicity to crops on saline soils, 164
Brahman cattle, crossing with Scotch Shorthorn, 71
with tropical native types, 12, 128
Bramble, control by 2,4,5-T ester in spruce. 182(fig.)
Breeding, bees in tropics, 49 BR
carp for mono-sex culture, 20
farm animals, 48 BR, 98 BR
artificial insemination in, 71
Karakul lamb for colour and curl pattern, 87, 88
Santa Gertrudis cattle, 12, 71, 128
British agriculture, Government aid to 133
British Association for the Advancement of Science Committee on food supplies and population, 3
British Honduras, soil map and potential land use, 152
Brown forest soils, agricultural potentialities, 149
Brush, woody, chemical eradication, 180, 181
Building materials for farm buildings, 58
Bulinus, snail host of *Schistosoma* spp., 129
Bull semen, refrigerant storage and viability, 71
Bulls, Sire Nomination List of M.M.B., 72
Bunds, grass, to control run-off, 160(fig.)
Burma, crop yields, fertiliser use and predicted needs, 33, 34
FAO work on grain storage, 7
Butter fat, production per acre, New Zealand, 16
rumen-organic acids and, 107

C

Cabbage, Phosdrin spraying against aphis, 38(fig.)
Calf, Ayrshire-Hungarian cross by A.I., 75 (fig.)
Calliptamus italicus, 155
Calorie intake, Standard Nutrition Unit (SNU), 9
Camargue, rice growing development, 28
'Capping' of soil, Potwar plateau, Pakistan, 159
Carbohydrate metabolism of ruminants, 107
Carp pond, combined with piggeries, China, 20
Malayan type, 19 (fig.)
Carp rearing industry, Central Europe, 18
'Carrying capacity' of land, unit for humans, 9
Caseworm of rice, crop losses from, India, 39
Cassava manuring, economic return, Madagascar, 37
Catchment, mineral balance sheets of 3 types, 63 (fig.) 64
Caterpillar, crop losses from hairy, India, 39
Catla catla, 19 (fig.)
Cattle, breeding experiments, Turrialba, 126, 128
Criollo breed, 127 (fig.)
diseases of, 98 BR
energy balance study, 104, 107 (fig.)
heat-tolerant cross, 12
improvement by artificial insemination, 71
respiration chamber for, Hannah Institute, 107 (fig.)
Sindhi-Zebu cross, Tanganyika, 15 (fig.)
slatted floors eliminate bedding for, 58
Celerio euphorbiae, larva, 122 (fig.)
Cereals, breeding varieties for Near East, 30
history of Government control, U.K., 133
infestation by Khapra beetle, 40
migration of grass-feeding pests to, 155
pests of, 76
encouraged by shelter-belt provision, 156
seed dressings for, 76
seed treatment against wireworm, 77
storage losses, 42
due to germ-eating insect, 42
wireworm damage, 77
yield increase per unit of fertiliser, 32
Ceylon, crop yields, fertiliser use and predicted needs, 33, 34
Chanos chanos, 20
Cheese, curing in plastic wrap, 143
Chernozem, agricultural potentialities, 148, 149
Chestnut soils, 149
Chestnut stump, shoot destruction by 2,4,5-T, 182 (fig.)
Child, protein starvation symptoms in, 5 (fig.)

Chillie, crop protection economics, India, 39
China, fertiliser use and predicted needs, 34
population census, 8
Chloride in stream water, instrument for recording, 65
Chocolate spot of bean, 177, 178 (fig.)
Citrus, spraying against scale, Venezuela, 36 (fig.)
yield return from Nemagon treatment, 190
Cladding materials for farm buildings, 58
Climate, structure and theory of world, 173, 176
Clover-dominant pasture, bloat in cattle on, 119
Clovers, molybdenum requirement for growth, 13
nitrogen contribution to sward by, 12, 14
Coastal Plains Research Station, Darwin, 68
Cocoa, crop losses from swollen shoot, 36
genetics research, Turrialba, 127
infestation in store by *Ephestia elutella*, Inter-American Cocoa Centre, 40 126
Cocoa moth, infestation of stored products by, 40
spraying warehouse walls against, 41 (fig.)
Coconut, crop protection economics, India, 39
opening for drying, Mindanao Island, 25 (fig.)
Coconut moth, biological control, Fiji, 37
Coffee, crop protection economics, India, 39
Colias phylodice, 155
Combine seed drill with PVC feed tubes, 143 (fig.)
Conifers, hardwood control in young plantations, 180-1
not susceptible to 2,4-D and 2,4,5-T, 181
species planted in exotic catchment, Taita, 64
Copper sulphate in eradicating snails carrying schistosomes, 132
Copra as potential human food source, 22
Cordia alliodora, 126 (fig.)
Corn Laws and repeal of, 133
Corynebacterium spp., 191 BR
Cost, fish-flour protein, 26
crop protection, 37
reclamation of saline soils, 165
Cotton, aerial spraying, Sudan, 85
crop losses from insect attack, 36
crop protection economics, India, 39
thrips attack on irrigated crop, Sudan, 156
tie-ridging of rain-fed crop, Nigeria, 159
Cotton leaf roller, crop losses from, 39
Cottonseed flour, use for human food, 26
Coumarone resin in dieldrin formulation, 92, 93
Cowpea harvesting, Tanganyika, 25 (fig.)
Cricket, pest of irrigated cotton, Pakistan, 156
Criollo dairy cattle, 127 (fig.)
Crop husbandry, effect of environment, 48 BR
Crop protection, benefits compared with returns from fertilisers, 37
economics of applying, 37-9, 157
food production and, 36
Crop recording, in primitive tropical agriculture, 80
Crop statistics, compiling in the tropics, 79
Crops, composition and conservation, 145 BR
diseases of, and economic losses, 36
losses from grasshoppers, 155
losses from pest damage, India, 38, 39
sampling survey techniques, 79
surpluses, disposal of, 3, 6
yields, forecasting, 81
potential, 6
related to fertiliser usage, 33
Crotalaria juncea, 28
Ctenopharyngodon idellus, 20
Cucumber beetle, spread along irrigation canals, 156
Cushion gall of cocoa, 127
Cutin, composition of, 178
Cuticle, leaf, 177
Cutworms, crop losses from, India, 39
invasion of abandoned land, 155

D

2,4-D, applications in forestry, 180, 181
mixed with 2,4,5-T, for forest site, 183
plastic pellets for aquatic weed control, 143
species susceptibility to, 191 BR
translocation in plant, 179
Dairy cattle, A.I. in breeding programmes, 71
Criollo breed, 127 (fig.)
hypomagnesaemia in cows, symptoms, 117
yard and parlour systems for, 56
Dalapon, grass control on new forest site by, 183
sensitivity of forest trees to, 183
Date garden, waterlogged, Sind, 160 (fig.)
2,4-DB, oxidised in plant, 179
D-D, injectors for placement in soil, 188 (fig.)
DDT, distribution and movement in mud layer, 91, 92
toxicity to leather jacket, 78
Deforestation, invasion of area by locust, 154
soil erosion and, 11 (fig.)
Dermestes spp., damage to Persian lamb skin by, 88
Desert locust, egg-laying in abandoned land, 155
Desert soils, geographical distribution, 148, 149
Deserts, ecology of salt deserts, 46 BR
Diabrotica balteata, 156
Dicryl, weed control on forest site by, 183
Die-back in *Spartina*, 47 BR
Dieldrin, absorption on mud surface, 90
economics of use against rice pests, 37
formulation with resins to reduce sorption, 91, 92
non-systemic, reason for, 179
requirement for crop protection, India, 38
seed dressings for cereals, 76, 78
toxicity to frit fly, 78
to leather jacket 78
Dieldrin-fungicidal wash for Persian lamb skins, 88
Diethylene glycol poisoning, 53
Diets, calorie value of average, 9
deficiency in protective foods, 4, 5
statistical survey, Western Europe, 45 BR
Diquat, weed control on forest site by, 183
Disease of Animals (Waste Foods) Order, U.K., 110
DNBP, stem-base application to woody species, 183
Douglas fir, weed control by Simazine in, 181, 182 (fig.)
Drainage, 146 BR
plastic soil drains of PVC, 142
saline soils, 164
tubewell, economics of, 161
Dried skim milk, surplus disposal, 6
Drift, aerial spray, insurance rates and claims, 86

Drill, combined seed-fertiliser with PVC tubes, 143 (fig.)
with sprayer equipment for herbicides, 82, 83 (fig.)
Dry farming, run-off problem, 159
Drying of crops and grass, 145 BR
Dutch barn, 58
Dyeing Persian lamb skins, 88 (fig.)

E

Earthworms, effect on soils, 66
Echinochloa colonum, 68
Ecology, climate-soil-biological complex, Africa 102
insect hazards in land development, 154
salt marshes and salt deserts, 46 BR
Ecology, plant, 45 BR
'antecology' and 'synecology' defined, 48 BR
weed plants, 146 BR
Economics, agricultural aviation, 86
crop protection, 37, 39
fertiliser usage, 32, 37, 39
man-made soil fertility, 148
Eichhornia crassipes, 20
Egypt, schistosomiasis risk to farm workers, 130, 131 (fig.)
Elephant, meat production from, 102, 103 (fig.)
Endrin, economics of use against rice pests, 37
LD 50 value and safety record 54
requirement for crop protection, India, 38
spraying looper caterpillar on tea with, 139 (fig.)
Energy requirements of ruminants, temperature dependence, 105
England and Wales, cultivable land per head of population, 10
Ensilage, and feeding value of product, 145 BR
storage in black plastic film, 141
Entomology, text book, 146 BR
Ephestia elutella 40
Erosion, caused by deforestation, Colombia, 11 (fig.)
run-off and, 159
Erwinia spp., 191 BR
Etiolated plant, non-effect of herbicides in, 179
European Plant Protection Organisation, Stored Products Working Party, 42
European Weed Research Council, official journal, 82
Evapotranspiration in soil salinisation, 162
Extension service officers, training, 43

F

Facial eczema in sheep, 66, 112 (fig.), 114 (fig)
Far East countries, fertilisers and food supply, 32
Farm buildings, mechanical aspects, 55 (figs.)
Farming, FAO extension services, 43
land and labour for, Western Europe, 45 BR
productivity, physical measures of, 95 BR
Royal Commission (1893) on industry, 134
Farmyard manure, disposal equipment, 56
use in Medoc vineyards, 170
Feeding stuffs, energy value, 104
Feeding trough, with self-unloading trailer 57 (fig.)
Feeding value of conserved crops 145 BR
Fenuron, stem-base application to woody species, 183
Fertilisers, crop response to unit N,P,K, 32
economic returns from use, 37
N,P,K ratios used in different countries, 33
subsidies, United Kingdom, 136
supplies, Far East countries, 33
trials on forest and savannah, Ghana, 144 BR
on rice, Australia, Northern Territory, 69 (fig.)
usage per heactare, world countries, 33
use in fisheries, 18
world production targets, 34
Film, black plastic, uses, 141
Fish, weed-eating for eliminating schistosome snail host, 19
Fish farming, freshwater, 18
in rice fields, research on, 20
in swamps, 19
pond culture, advantages of, 20
Fish flour, preparation and food value, 26
Fisheries, production statistics, 6, 18
Fishing boats and market, Cochu, India, 19 (fig.)
Fleabeetle, encouraged by shelter belt, 156
in wheat, migration from wild grasses, 155
Floors, slatted for farm buildings, 56, 58
Flow meter, for measuring stream discharge, 65 (fig.)
Flower pot, of moulded polystyrene, (fig.)142, 143
Foliar diagnosis, nitrogen requirement of trees, 185
Food, FAO consumption surveys, 4
plan for cheap protein supply, 6, 24, 26
spoilage losses in store, 42
trade statistics, Western Europe, 45 BR
Food and Agriculture Organisation, agricultural extension services, 43, 44
cheap protein food project, 6, 24, 26
concern with foot and mouth disease, 110
Freedom from Hunger Campaign launched, 3, 4, 6, 7
International Seed Year, 166
investigation of food losses through pests, 42
milk production campaign, East Africa, 15
wheat and barley programme for Near East, 30
world soil-mapping project, 153
Food production, FAO Campaign, 3, 4, 6, 7
fish products, 18
land acreage required per head for, 8, 10
population problem and, 95 BR
statistics, Western Europe, 45 BR
surpluses, existence of, 95 BR
Food store, spraying walls against cocoa moth, 41 (fig)
Foot and mouth disease, 108
research at Pirbright, 111
slaughter policy upheld, 110
virus type survey, 109
Forest, nitrogen economy, 184, 187 (fig.)
nutrient cycle in, 186
pressure on land for timber, 8
tree nutrition, 184
Forest soils, nitrogen status and timber yield, 184, 185
nutrient supply by rain wash and litter, 144 BR
Forestry, research at Turrialba, 128
weed control measure, 180, 182 (figs.)
Formulation, insecticides to reduce surface absorbtion, 92

Fowl, reproduction in, 49 BR
France, viticulture in the Medoc, 169 (figs.)
Freedom from Hunger Campaign launched, 3
Frit fly, control by dieldrin spray, 78
encouraged by shelter-belt provision, 156
Fumigants, soil, 188, 189 (figs.)
See also D-D; Methyl bromide
Fungi, facial eczema in sheep caused by, 66, 114
sporidesmin isolated from *Pythomyces chartarum*, 114
Fungicide, systemic, experimental use on bean, 177, 178 (fig)
'natural' in plants, 179
Furs, processing Persian lamb, 87

G

Game animals, wild, of Africa, 100, 103 (figs.)
Geese, damage to rice crop by, 68
Genetic merit, assessment by Contemporary Comparison concept, 72, 74
Geology, plant cover and, 46 BR
Geomorphology, 46 BR
Gezira cotton scheme, irrigation-water quality, 161
Ghana, fertiliser trials, 144 BR
village demonstration on nutrition, 7 (fig.)
Ghent Fumigator, 190 (fig.)
Gilgai soils, Iraq, 161
Gilsonite, in dieldrin formulation, 92
Giraffe, grazing niche, Eldoret, Kenya, 100 (fig.)
Glaciation, land forms of, 46 BR
Glasshouse, plastic film lining for, 141
Gonyaulax toxin, 53
Grain heating in store, initiated by insect development, 42
Gram, losses from podborer caterpillar, India, 39
Grass carp, pond culture in S.E. Asia from imported fry, 20
Grass species, control by Dalapon before planting young trees, 183
magnesium contents, 118
Grass tetany. *See* Hypomagnesaemia.
Grasshoppers, attack on irrigated lucerne, 155
crop losses from, 39, 155
invasion of developed land, Kazakhstan, 155
of forest clearing, 154
species of Turkey, 121, 124
Grassland, farming, intensive systems, 145 BR
insect invasion of over-grazed, 155
magnesium-deficiency disease in cattle on, 117, 118
nitrogen manuring, 14
potentialities of, 12
problems on semi-arid soils, 13
productivity, permanent pasture and ley, 97 BR
spraying with mineral oil to prevent bloat, 119
virgin as reservoir of cereal pests, 155
Grazing, rotational creep, for lambs, 14
rotational, milk yields from, 14
Grazing animal, disease control in, 14
disorders of, 112, 117, 119
grassland productivity and, 12
habits of wild game, 102
on fenced area, Masai district, 13 (fig.)
pasture sward maintenance and, 145 BR
sheep on improved sward, 13 (fig.)
Green manure crops, for rice, 28
Grey mullet, pond culture, 20
Griseofulvin, stability in plant tissue, 179
Groundnut, crop protection economics, India, 39
dusting of bagged with insecticide, 41 (fig.)
fumigating a pyramid of bagged with methyl bromide, 41 (fig.)
harvesting, 25 (fig.)
infestation with Khapra beetle, 40
manuring, economic returns, Senegal, 37
Groundnut cake as human food source, 22
Groundnut flour, production for human food, 26
Groundwater level, control measures, 161
soil salinity and, 162
Gypsum in saline soil reclamation, 164 (fig.), 165

H

Halophytic plants, physiology, 47 BR
Hannah Dairy Research Institute, metabolism researches, 104
respiration chambers at, 107 (fig.)
Hardwoods, eradication from conifer plantations 180, 181
Hawaii, pineapple research and industry, 97 BR
HeLa, definition of term, 114
Helicopter, economics of farming use, 86
Helminth infection. *See* Schistosomiasis.
Heptachlor in seed dressings for cereals, 76, 78
Herbaceous weeds in forests, chemical control, 183
Herbicides. *See* Weedkillers.
Herbs, magnesium content, 118
Hereford bull, Freetown Focus, 75 (fig.)
Hessian fly, encouraged by shelter belt, 156
Hippotamus, potential meat source, 102, 103 (fig.)
History, Government aid to British agriculture, 133
pineapple plant, 97 BR
weeds in Britain, 146 BR, 191 BR
Hnan-wa-phin-gauh rice, 70
Hoja blanca of rice, 29, 127
Honey badger, destruction of bee colonies by, 49 BR
Horse, diseases of, 98 BR
Horse fly, of Turkey, 121
Horticultural crop, forcing under black plastic film, 141, 142 (fig.)
Humpty Doo rice growing project, 68
Humus, mineralisation in forest soils, 185
Hymenoptera, of Turkey, 121
Hypomagnesaemia in cattle on pasture, 117, 118 (fig.)
Hypophthalmicthys molitrix, 20

I

Imperial College Field Station, 60 (fig.)
nematology course, 61
India, crop losses from pest damage, 38, 39
crop yields, fertiliser and predicted needs, 33, 34

returns from use of insecticides, 38, 39
Indian carp, 19 (fig.)
Indonesia, crop yields, fertiliser use and predicted needs, 33, 34
phosphorus-deficient soils, 35
Information service, tropical agriculture, 128
Injector, types for applying nematocides, 188, 189 (figs.)
Insect ecology in relation to land development, 156
Insect pests, crop losses from, India, 39
damage to stored products by, 42
Insecticides, combined with weedkillers, 78
dusting groundnuts in bags with, 41 (fig.)
economics of use against rice pests, 37
expenditure and returns from, 39, 157
field use of, 96 BR
in bran baits, replacing Paris green, 78
in seed dressings for cereals, 76
residues, activity on absorbent walls, 90
returns from use on crops, India, 39
selection for use in stored foods, 40
systemic, mechanism of action and stability in plant tissue, 179
toxicity index LD 50, 52
toxicity to mosquito, humidity effect, 91
trial against rice stem borer, 29
Insects, adaptation, land development and, 154, 156
anatomy, biology and classification, 146 BR
fauna of abandoned land, 155
of oases, 156
grass-eating, migration to newly-planted cereals, 155
Hymenoptera of Turkey, 121
virus vector, *Sogata orizicola*, 29
Insulating materials for farm buildings, 58
Inter-American Institute of Agricultural Sciences, 125 (fig.)
Ipomea repens, 20
Iraq, gilga-ed soils of, 161
Irrigation, entomological effects of, 155-6
project feasibility studies by U.S. Bureau of Reclamation, 160
'sailaba' cultivation, 159
sub-soil, use of plastic drains, 142-3
Irrigation canals, as insect bridges, 156
weed clearance in snail eradication, 130 (fig.)
Irrigation water, Nemagon emulsifiable concentrate applied in, 190
schistosomiasis transmission through, Egypt, 131
Sodium Absorption Ratio (S.A.R.), 161
soil salinisation danger from, 160-1
Italian grasshopper, on abandoned land colonised by sagebrush, 155

J

Japan, crop yields, fertiliser use and predicted needs, 33, 34
cultivable area per head of population, 10
rice-bean diet, 9
rice manuring 28
Jassids, cotton and potato losses from, India, 39
Jute, crop protection economics, India, 39

K

Kangaroo rat, biology, 47 BR
Kangkong grown in carp ponds, 20
Karakul lamb, black and grey, 88 (fig.)
Karakul sheep industry, S.Africa, 87 (figs.)
Karst phenomena, 46 BR
Kellner feeding standard, need for revision, 98 BR, 104
Khapra beetle, 40
Kimberley Research Station, West Australia, 68, 70
Knapsack sprayers for forest use, 181

L

Labour, agricultural, survey in W. Europe, 45 BR
Lacerta laevis, 121
Lactation tetany. *See* Hypomagnesaemia.
Lake Victoria, threats to fisheries of, 19
Lamb, Karakul, 88 (fig.)
rotational creep grazing system for, 14
Land, agricultural productivity, 95 BR
capability classes, for irrigable potential, 160
development, insect invasion risks, 154, 157 (fig)
estimates of world cultivable, 6, 149
pressure on from man and farm animals, 8, 10
reclamation, 8, 9 (fig.)
resources, *ecumene* defined and assessed, 8
Land use, crop acreage estimating, 79
planning based on soil survey, 151
Laphygma frugiperda, 157 (fig.)
Latin America, economy of, 95 BR
Graduate School of Agriculture at Turrialba, 126
Latosols, distribution and nutrient deficiencies, 150
LD 50 value, definition and limitations of, 52
Leaching saline soils with irrigation water, 164
Leaf, extraction of protein from, 23
Leaf spot of banana, 38 (fig.)
Leather jacket, control by insecticidal sprays, 78
Legislation, Agricultural Acts, U.K., 134, 136
Agricultural Marketing Act, 134
animal diseases, 98 BR
foot and mouth disease regulations, 109
governing British agriculture, 133
Legumes, crop protection economics, India, 39
grain, as protein source, 24
species recommended for tropics, 26
magnesium content, 118
nitrogen-fixing in grassland, 12
Lemon, losses from citrus bud mite, 36
Leptohylemia coarctata, 77 (fig.)
Ley, attack by frit fly, 78
productivity compared with permanent pasture, 97 BR
Ley farming, functions of, 12
management of grass sward, 145 BR
Light sensitivity of sheep with facial eczema, 114 (fig.)
Livestock, farm building design for, 55
feeding, value of silage and dried grass, 145 BR
health and diseases, 98 BR

husbandry, 98 BR
increasing production of, 15
ranching of domestic in central Africa, 102
reproduction, mechanisms in, 48 BR
sire selection, 72
Lizard, catching method, 120
species of Mount Ararat district, 124
Locust, migratory, invasion of forest clearing, 154
Looper caterpillar on tea, endrin spraying, 139 (fig.)
Lucerne, butterfly infestation after irrigation, 155
potentiality in Britain, 145 BR
Lupinus perennis, 186

M

Magnesium deficiency disease of cattle, 117
Magpie geese, damage to rice crop by, 68
Maize, fertiliser demonstration plots, 35 (fig.)
fertiliser usage on, world countries, 33
frit fly damage and control, 78
losses in storage from pests, 42
research project, Turrialba, 127
yield response to fertiliser, 32
Malaria control, Taveta-Pare scheme, 90
Malathion, potentiation by blending, 54
Malaya, crop yields, fertiliser use and predicted needs, 33, 34
pineapple production, 97 BR
Malnutrition, 'hidden hunger', 4
protein deficiency and, 3, 5 (fig.)
Mammalian sensitivity to drugs, 53-4
Mango, botany, production and varieties, 96 BR
Mangrove swamps as fishing grounds, 19
Manure spreader for poultry droppings, 57 (fig.)
Mapping, soils, 152 (fig.), 153
Marginal land, farming economics, 48 BR
Marine research to increase fish stocks, 18
Markets for long-grain rice, 70
MCPA, species susceptibility to, 191 BR
MCPB, oxidised in plants, 179
Mealy bug, coffee and pepper losses from, India, 39
Meat production, from dairy herds, 74
from wild animals, 101
on intensively managed grassland, 14
potential world, 16
Meat trade in relation to spread of foot and mouth disease, 110
Mechanisation, farm planning for, 56
of vine growing in the Medoc, 170
Medoc vineyard, 171 (fig.)
Meli No. 2 rice, 70
Melochia corchorifolia, 68
Metabolism, of hoofed game animals, 103
of ruminants, 104
Metasystox, chemically changed in plants, 179
Meteorological charts, 174, 175
Meteorological research requirements for weather forecasting, 172
Methyl bromide, fumigating bagged groundnuts with, 41 (fig.)
Microbiology of grassland soils, 65
Micro-organisms, flora of pasture leaves, 66
nitrifying, in forest soils, 186
Milk, guaranteed price, U.K., 136
production, world potential, 16
quality tests in assessing sire merit, 72
yields on intensive pastures, 14
Milk fish, pond culture, 20
Milk Marketing Board, Sire Nomination List, 72
Milking machine, date of introduction, 56
Milking parlour, design, 56, 57 (fig.)
Millet, manuring, Senegal, 37
Millo, fertiliser demonstration plots, 35 (fig.)
Mineral oil, control of bloat in cattle with, 119
stem-base application to woody species, 183
weed control in forest nurseries by, 180
Mist-blowers, tractor-mounted for forest use, 181
Mites, control, 96 BR
Mixed cropping, acreage-recording problem, 80 (fig.)
Molybdenum requirement of clovers, 13
Monuron, stem-base application to woody weeds, 183
Mosquito, mud wall spraying trial, 91 (fig.)
Mountain soils, geographical distribution, 148, 149
Mud surface, insecticide absorption by, 90, 91
Mugil cephalus, 20
Mulching, plastic film in, 141, 142 (fig.)
Mycorrhiza, pine, phosphorus uptake through, 66

N

National Institute of Agricultural Botany, seed training course, 166-8 (figs.)
Near East Countries, FAO cereal programme, 30
Nectar-yielding plants, tropical, 49 BR
Nemagon, emulsifiable concentrate, 189
granules, applicator for, 190 (fig.)
Nematicides, placement in soil and equipment, 188 (fig.)
Nematodes, control by fumigants, 188
plant-infesting, field study, 59
Nematologists, training courses for, 59, 60 (figs.)
Nematology, development of the subject, 59
Shell research grant, 61
Nemittae, infesting fishing grounds, 19
Nemoptera sinuata, 123 (fig.)
Netherlands, crop yields and fertiliser usage, 33
grassland productivity, 13, 14
New Zealand, dairy industry, butterfat output, 16
fertiliser use and predicted requirements molybdenum-deficient soils, 13
phosphate fertiliser consumption, 34, 35
sheep disease, facial eczema, 66, 112
work of the Soil Bureau, Taita, 62
Niche structure, 102
Nigeria, cotton yield, rain-fed, 159
water conserving practices, 159, 160
Nitrogen deficiency, forest soils, 184, 185
pine needles showing symptoms of, 186 (fig.)
Nitrogen-fixing agents, symbiotic, in forestry, 186
Nitrogen trichloride, 54
Nitrogenous fertilisers, consumption, U.K., 135
for forest trees, recommended rates, 187
for grassland, 14, 97 BR
for rice, 28

use and predicted needs by countries, 33, 34
world production, 35
yield response of cereals and sugar cane, 32
Northern Rhodesia, animal wild life, 100
Nutrition, demonstration, Ghana village, 7 (fig.)
farm animal, fertility aspect, 49 BR
studies on ruminants at Hannah Institute, 104

O

Oat, frit fly damage, 77 (fig.), 78
Ocinella frit, 77 (fig.)
Oestrus cycle in farm animals, 49 BR
Oil seeds, crop protection economics, India, 39
residues, potential source of human food, 22, 26
Ondina 33 in bloat control, 119
Organic acids, volatile fatty, in rumen, 107
Organophosphorus insecticides, potentiation by blending, 54
translocation in plant, 179
Orton Memorial Library, Turrialba, 128
Oxalis tuberosa, as food plant, 127

P

Packaging fruit in plastic bags, 141
Paint, Epikote-based for fertiliser distributor, 143
Pakistan, crop yield, fertiliser use and predicted needs, 33, 34
water conserving practices in West, 159, 160
Pan-American Union, agricultural research work of, 126
Panicum effusum, 68
Panogen, liquid seed dressings, 76
Papyrus 'sudd' as fishing grounds, 19
Paraquat, weed control on forest site by, 183
Paris green bait, replaced by insecticides, 76
Peanut. *See* Groundnut.
Peasant livestock husbandry, 98 BR
Pepper, crop protection economics, India, 39
Permeability of soil to water, testing, 158 (fig.), 159
Persian lamb, coat, 89 (fig.)
See also Karakul
Pest control, crops in storage, 40
economics in developing countries, 157
in India, Burmah-Shell study, 37, 39
Pesticides, residue, toxicity in tea examined, 139
toxicological record, 54
Pests, attacking beehives, Africa, 49 BR
biological control, 36
crop losses from, 36, 137
food losses due to, 40
Philippines, crop yields, fertiliser use and predicted needs, 33, 34
rice growing on mountain terraces, 27 (fig.)
Phosphate fertilisers, use and predicted needs by countries, 34
world production and use, 34
yield response of cereals and sugar cane, 32
Photosensitising of sheep by phylloerythrin, 112
Phylloerythrin, accumulation in bile of sheep, 112
Pig, diseases of, 98 BR
housing for fattening, 58
importance of artificial insemination, 71
raising combined with fish farming, 19 (fig.), 20
Piggery, slatted floor, 58
Pine, nitrogen nutrition, 185
phosphorus uptake through mycorrhiza, 66
Pineapple, botany, culture and use, 97 BR
Pinto diet of Carribeans, 24
Pipe, plastic, for potable and irrigation water, 142, 143 (fig.)
Pirbright Research Institute, foot and mouth disease research, 111 (fig.)
Plaice, seeding fry in the sea, 18
Plankton, as fish food, 18, 19, 20
Plant 'antecology', 48 BR
Plant breeding, cereals for Near East, 30
pineapple, canning varieties, 97 BR
rice, 28, 70
Plant diseases, bacterial, 191 BR
economic losses from, 36
hoja blanca of rice, 29
Plant geography, 45 BR
Plant growth regulators, of flowering, 48 BR
Plant protein, extraction from leaves, 21, 23 (fig.)
Plantains, preparing for cooking, 80 (fig.)
Plantation cropping, 48 BR
Planting crops on mounds, 80 (fig.)
Plastics, use in farm and market garden, 141-3 (figs.)
Plough, 'cabat' and 'courbe' types 170
Ploughing, eradicating wild red rice by, 28
vineyards, Medoc practice, 170
Podzols, agricultural potentialities, 149
Poecillimon spp., 121
Pole barn, 55 (fig.), 58
Polistes nest, 123 (fig.)
Polyvinyl chloride film and pipe, 141-2, 143 (fig.)
Population, and food production, 95
rate of increase, 3, 7, 8
Potash fertilisers, use and predicted needs, 34
world production and use, 34
yield response of cereals and sugar cane, 32
Potato, crop protection economics, India, 39
fertiliser usage on, world countries, 33
manuring, economic return, U.K., 37
Potato blight, crop losses from, 36
Poultry, diseases of, 98 BR
laying house, windowless, 57 (fig.), 58
Prairie soils, agricultural potentialities, 149
Prawn, breeding in swamps, 20
Predators of fishing grounds, 19
Prefabrication, for farm buildings, 58
Price review, annual, U.K., 136
Progeny test of sire, accuracy raised by A.I., 72
Propionic acid, fed to goat, butterfat and, 107
Protein, cheap processed foods supplying, 26
deficiency in diets, 5 (fig.), 101
quality of animal and vegetable, 5
supplies of animal per head per day, 5
Protein production, cropping game animals for, 102
fisheries development for, 18
from green leaves, Rothamsted work, 23 (fig.)
from oil plants, 22

from vegetables, 22, 24
Protoplasmic membrane of cells, nature of, 178
Protozoa of New Zealand soils, 66
Pruning vines, Guyot double system, 169
Pseudomonas spp., 191 BR
Pulses, crop protection economics, India, 39
protein extraction from, 24
Pythomyces chartarum, 66, 114-5 (figs.)

Q

Quarantine, in foot and mouth disease control, 109
Queensland, grassland, productivity, 12

R

Rabbit, diseases of, 98 BR
Rain forest, nutrient cycle in, 150
Rainfall, nitrogen supplied to soil by, 186
Ratooning of rice, 28
Reclamation, alkali soils, non-saline, 164, 165
dune sand, 9 (fig.)
forest land, Amazon Basin, 11 (fig.)
land by use of chemicals, 10
saline soils, 164 (fig.)
rice employed in, 28
Red soils, distribution, 150
Reproductive tract of farm animals, anatomy, 49 BR
Reservoir, temporary, plastic film-lined, 141
Respiration chamber, ruminant metabolism, 105, 107 (fig.)
Rhinoceros beetle, coconut losses from, 39
Rice, breeding, *japonica-indica* cross, 70
crop protection economics, India, 39
fertiliser trial, N.T., Australia, 69 (fig.), 70
fertiliser usage on, world countries, 33
fungus diseases, 68
grain loss in storage, Sierra Leone, 42
green manuring, 28
growing, fish culture combined with, 20
on land reclaimed from jungle, Brazil, 11 (fig.)
Northern Territory, Australia, 67
hoja blanca, 127
virus vector of, 29
manuring, 28, 33
ratoon crop, 28
seedling establishment, 68
soils, formation and morphology, 27
world resources for growing, 150
temperature recorded in grain in basket, 7 (fig.)
terraced, Luzon, Philippines, 27 (fig.)
varieties, N.T., Australia, 68, 69
wild red variety, eradication, 28
yield after wheat in same season, 28
yield increase per unit of fertiliser, 32
Rice bug, crop losses from, India, 39
Rice grass. See *Spartina*.
Rice hispa, 39
Rice pests, crop losses and savings by control of, 39
Rice seed, broadcasting of pre-germinated on puddled land, 69 (fig.)
Rice stem borer, 29 (fig.)
crop losses from, India, 39
incidence, N.T., Australia, 68
Riverwater salinity, Blue Nile and Tigris, 161
Roofing for farm buildings, 58
Rosa foetida, 123 (fig.)
Ruakura Animal Research Station, 15
Ruminants, carbohydrate digestion efficiency, 107
energy requirements of, 104
Run-off, control measures, 159, 160 (fig.)
measurement on catchment areas, New Zealand, 65
Rust fungus, virulent strain 15 B, 37
Ryegrass, association with facial eczema, 66, 115, 116
nitrogen manuring of Italian, 14

S

Saccharum aegyptiacum, 9 (fig.)
Sailaba cultivation, 159
Saline soils, classification, 164
colonisation by plants, 47 BR
geographical distribution, 163
reclamation, cost of, 165
rice employed in, 28
Salinisation of soil, 162
irrigation and, 47 BR
Salt deserts, man-made, Iraq, 47 BR
Salt marshes, ecology and agricultural potentiality, 46 BR
Salt-sensitive crops, 28
Salt tolerance of plants, 163, 164
Sampling survey for estimating crop acreages, 80
Sand dune, stabilisation with grass species, 9 (fig.)
Santa Gertrudis cattle, 12, 71
Saridelee, soy product, 26
Sarothamnus scoparius, 186
Schistosoma haematobium, 129, 132 (fig.)
Schistosoma japonicum, 129
Schistosoma mansoni, 129
Schistosomiasis, research on incidence and control, 129 (figs.)
Schizodactylus inexpectatus, 120, 122 (fig.)
Schoenobius incertellus, 29 (fig.)
'Scirpophage' innotata, 68
Sealing machine for semen containers, 75 (fig.)
Seed dressings, insecticidal, 77
liquid organo-mercurial, 76
Seed Training Course, International, 166
Senn bug, wheat losses from, Turkey, 36
Sesbania benthamiana, 68
Shade, tea growing under light and heavy, 140 (fig.)
Sheep, adaptation to semi-arid grazings, 13
diseases of, 98 BR
energy balance study, 104-5 (fig.)
facial eczema, causal fungus, 66, 112-6 (figs.)
improvement by A.I., 71
Karakul, farming in S. Africa, 87 (fig.)
metabolism house, Hannah Institute, 107 (fig.)
shearing, critical temperature for, 106
Shelter belt, insect fauna changed by, 156
Shifting cultivation, 144 BR
chitemene system in N. Rhodesia, 101

desert locust menace, 157
practice on latosols, 150
Shoddy, weed seeds carried in, 191 BR
Shorthorn, cross with Zebu bull by A.I., 71
SID, 82, 83 (fig.)
Sidi Mesri Experimental Station, 31
Silage, feeding, conveyors for, 55, 56
feeding value for livestock, 145 BR
preservation in black plastic film, 141
Silver carp, pond culture, 20
Simazin, use in forestry, 180, 182 (fig.)
Sire Nomination List, 72, 73
Skins, Karakul lamb, processing, 88 (figs.)
Snail hosts of schistosomes, 129, 130
Social life in the insect world, 146 BR
Sodium Absorption Ratio (S.A.R.), 161
Sodium arsenite, stem-base application, 183
Sodium chlorate, stem-base application, 183
Sodium clay in saline soils, 161 164
Sodium pentachlorophenate, molluscide, 132
Sogata orizicola, 29
Soil, biology, 47 BR
interaction with water, 159
research, Taita experimental Station, 62
resources of the world, 148, 149 (map)
salinity, causes of, 162
Soil Bureau laboratories, Taita, 64 (fig.)
Soil classification, 151, 152
saline soils, 164
Soil conservation, 10
animal wild life and, 102
Soil erosion, land forms produced by, 46 BR
remarkable example caused by deforestation, 11 (fig.)
Soil fertility, grassland management and, 12
maintained by tree legumes, 102
man-made, in developed countries, 148
under shifting cultivation, 144 BR
Soil fumigation, 188-9 (figs.)
research at Imperial College, London, 61
Soil moisture, osmotic pressure and plant growth, 159
Soil structure, 159
damage by long-term irrigation, Iraq, 161
saline soils, 161, 164
Soil survey, aim and method of, 151, 152
Somalia, water-conserving measures, 160
Sorghum, cropping in shallow basin, Nigeria, 160
losses in storage from insects, 42
Sorghum midge, virus vector, 155
Soybean, edible products from, 22, 26
Spacing of vines, 169
Spartina pratensis, mud-pan development in, 47 BR
Spartina townsendii, die-back in, 47 BR
Spawning of fish, protection against predators, 19
Spore trap, volumetric for collecting *Pythomyces*, 115
Spores, *Pythomyces chartarum*, 114 (fig.)
Sporidesmin, isolation from fungus on grass, 66, 114
detection, biological test, 114
Spray-incorporating drill (SID), 82, 83 (fig.)
Spraying, serial in forestry, 181
banana against leaf spot, 38 (fig.)
cabbage against aphis, 38 (fig.)
citrus against scale, 36 (fig.)
forest weeds with chemicals, 180, 181
mud wall with dieldrin, against mosquito, 91 (fig.)
tea plant in relation to plucking, 137, 139 (fig.)
Spraying equipment, plastics in, 143 (fig.)
Spruce, nitrogen fertiliser requirements, 185
plantation, weed eradication in, 182 (fig.)
Stalk borers, cereal losses from, India, 39
in rice, 29 (fig.)
of tropical crops, 29
'Standard nutrition unit', 95 BR
Statistical method in weather forecasting, 176
Storage, farm buildings for, 56
Stored products, E.P.P.O. Working Party, 42
infestation losses in, 40, 42
Strawberries, grown with black plastic sheet, 142 (fig.)
Stream discharge, dam and flow meter for, 65 (fig.)
Subsidies, food, historical examples, 133
Sugar cane, irrigated, mosquito invasion, 156
yield increase per unit of fertiliser, 32
Sulphur, requirement of grassland species, 13
Super-ovulation in hormone-treated cow, 74
Swamp, fish culture in, 19, 20
Sweden, forest weed control, 180
Swollen shoot of cacao, crop losses from, 36
Systemic action of chemicals in plants, 177, 178 (fig.)
Systox, chemically changed in plant, 179

T

2,4,5-T, high viscosity invert emulsions, 181
limitation of hardwoods in conifers by, 180, 181
2,4,5-T ester, in stem-base treatment of woody sp., 183
2,4,5-TP, control of woody species by, 181
Tachnid predator of coconut moth, 37
Taint found in tea after spray treatment, 138-9
Taita Experimental station, 62, 63 (fig.)
Taiwan, average NPK ratio in fertilisers, 33
crop yields, fertiliser use and predicted needs, 33, 34
Tanytarsus lewisii, 19
TCA, stem-base application to woody species, 183
Tea, crop protection economics, India, 39
losses from pest attack, 137
pesticide residues and taint in, 137
Termites, crop losses from, India, 39
danger in over-grazing, 155
Terra rossa, eroded, 150
Terraced soils, with grass bunds, 160 (fig.)
Thailand, crop yields, 33
fertiliser use and predicted needs, 33, 34
Theriopiectes tricolor, 121
Thrips, crop losses from, India, 39
invasion of cotton after irrigation, 156
Tie-ridging of cotton, Nigeria, 159
Tiger Moth plane, jettisoning spray, 84 (fig.)
Tilapia spp., pond culture, 19, 20
cross-breeding for, 20
Tilapia zillii, weed-eating, 19, 20
Timber, consumption for newsprint, 8
nitrogen removed from soil in, 186
yield correlation with nitrogen supply, 185, 186
yields on good and poor soils, 184

Tipula spp., 78
Tobacco, crop protection economics, India, 39
infestation in store by ***Ephestia***, 40
Topography, guide to soil classification, 151
Toxicity, organophosphorus insecticides in blends, 54
Toxicity index LD 50, validity, 52
Tree stump, treatment with weedkillers, 181, 182 (fig.)
Tribolium castaneum, 40
Trichlorobenzoic acid, trial against woody sp., 181
Trogoderma granarum, 40
Tropaeolum tuberosum, 127
Tropical Centre for Research and Agricultural training, Turrialba, 128
Tropical crops, estimating production, 79
legumes for diversifying diets, 26
pasture grasses, 12
research at Turrialba, 125, 127
Tropical Fish Culture Research Institute, Malacca, 18
Tropical rain forest, land capabilities, 6
Tropical soils, conservation measures, 150
Tse-tse fly, breeding in irrigated gardens, 156
invasion of forest clearing, 154
Tubewell drainage, 161
Tundra soils, 148, 149
Turkey, entomological expedition to, 120, 124 (map)
FAO wheat and barley programme, 30
Turrialba Institute, Costa Rica, 125 (fig.)
Tussock grasslands, microbiology, 65
Twentieth Century Fund, 45 BR
Tylenchids, parasitic and free-living, 60

U

Ullucus tuberosus, as food plant, 127
Ultramicrotome, for virus-infected tissue, 110
United Kingdom, import of long-grain rice, 70
nematology post-graduate course, 60
seed certification and testing, 166
slaughter policy against foot and mouth disease, 110
United States, agricultural aviation, 84
cultivable land per head of population, 10
'soil-bank' policy favouring grasshopper attack, 155
Soil Conservation Service recommendations for land use, 153
training of nematologists, 60
weed control in forestry, 180
United States Food and Drug Administration, classification of tea under, 140
toxicity index value defined by, 52
United States Food and Nutrition Board Committee on Protein Malnutrition, 26
United States Salinity Laboratory, saline soil classification, 164
Urea for rice manuring, 28

V

Vaccines, foot and mouth disease, 111
Vegetables as protein source, 22
Veterinary Centre, Shinyanga, grazing cattle, 15 (fig.)
Virus, foot and mouth disease types, 108-9, 111 (fig.)
hoja blanca of rice, 29
Viticulture, Medoc region, 169, 171 (figs.)
vine manuring at planting time, 170

W

Water, conservation in arid soils, 159
interaction with soil, 159
Water buffalo, at Aarey milk Colony, Bombay, 17
Water hyacinth, grown in carp ponds, 20
Water table *See* Groundwater level.
Weather, forecasting, problems of, 172
influence on plants, 48 BR
Weathering, soil erosion and, 46 BR
Weed control, 191 BR
in forestry, 180
Weed Research, new journal, 82
Weedkillers, application to stem-base, 181
efficiency of acid v sodium salt, 178
mechanism of systemic action, 179
spray-incorporating drill for, 82, 83 (fig.)
susceptibility of species to, 191 BR
use on grassland, 98 BR
See also Amino-triazole, 2,4-D, Dalapon, Diquat, MCPA, Monuron, Paraquat, Simazin, 2,4,5-T, 2,4,5-TP, TCA, Trichlorobenzoic acid.
Weeds, biology, 146 BR, 191 BR
forest types, 180
rice-field species, 28, 68
seed dormancy and dispersal, 146 BR
Western Europe, average NPK ratio in fertilisers, 33
Wheat, bearded, Baart 46 variety, 31 (fig.)
breeding for rust immunity, 37
crop loss from Senn bug, Turkey, 36
cropping on 'conserved' water, Nigeria, 159
damage by frit fly after ley, 78
FAO wheat and barley programme, 30
fertiliser usage in world countries, 33
grain infestation in store by Ephestia, 40
invasion by pests of wild grasses, 155
sailaba cultivation, 159
yield, 1100-1960 in Britain, 135 (fig.)
increase per unit of fertiliser, 32
Italy, 28
Wheat bulb fly, 77 (fig.)
control by seed dressings, 76, 78
Wheat rust fungus, strain 15 B, 37
White grub, potato losses from, India, 39
Wild red rice, eradication, 28
Wildebeeste, grazing marginal land, 103 (fig.)
Wine, ***appelation d'Origine***, 169
quality maintenance, Medoc, 170
Wireworm, 77 (fig.)
seed treatment against, 77
Witchweed, biology, 47 BR
Woodstock Agricultural Research Centre, insecticide absorption study, 91
participation in international seed training course, 166
Woody weeds, control in forest stands, 181

World Health Organisation, interest in high-protein foods, 24
specification for wettable powders, 90
World Seed Campaign, 166

X

Xanthomonas spp., 191 BR

Y

Yeasts, soil types, New Zealand, 66
Yellow soils, distribution, 150

Z

Zebu bull, cross with shorthorn, 71
cross with Sindhi breed, 15 (fig.)

Shell Chemicals